Wood Science Index . . . Vol. 13, 1980-81

FPRS Subject Index

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and coauthor entries refer back to the senior author. Reprints of all articles are available at $2 each. Bulk rates are also available. A check or money order must accompany each order.

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Geographical and Within-Tree Variation in Heartwood pH of *Pinus oocarpa Schiede* From Honduras, R. Guevara-M and W. E. Johns, 4:220-224 (No. 6220).

Growth-Quality Evaluation of Black Walnut Wood. Part 1—Specific Gravity, Growth Rate, and Percent Extractables for Trees Grown on Three Different Sites in Missouri, P. S. Szopa, H. E. Garrett, and E. A. McGinnes, Jr., 2:95-98 (TN-403).

Growth, Yield, and Woody Biomass Characteristics of Seven Short-Rotation Hardwoods, W. A. Geyer, 4:209-215 (No. 6039).

Proportions and Types of Cells in Stems, Branches, and Roots of European Black Alder (*Alnus glutinosa* L. Gaertn.), H. Vurdu and D. W. Bensend, 1:36-40 (No. 5879).

Some Anatomical Characteristics of Yellow-poplar Branchwood, H. Core and W. Moschler, Jr., 2:99-101 (TN-415).

Chemistry

Characteristics of Carbonized Wood Affected by Extraction, J. M. Kryla, 1:18-25 (No. 6048).

Distribution of Reacted Chemicals in Southern Pine Modified With Methyl Isocyanate, R. M. Rowell, 2:102-110 (No. 6156).

Formaldehyde Emission: Methods of Measurement and Effects of Several Particleboard Variables, G. E. Myers and M. Nagaoka, 3:140-150 (No. 6168).

GPC and Light Scattering of Phenolic Resins-Problems in Determining Molecular Weights, J. D. Wellons and L. Gollob, 2:68-74 (No. 6084).

HPLC Separation of Virginia Pine Bark Flavonoids, P. Labosky, Jr. and J. A. Sellers, 1:32-35 (TN-401).

Pyrolysis of White Birch (*Betula papyrifera* Marsh.) in Nitrogen and Helium up to 900°C and 600 kPa in the Presence of Water Vapor, Zinc(II)Chromite, and Iron(III)Oxide, P. Fong and R. A. Ross, 2:87-94 (No. 6145).

SEM Examination of Wood-Portland Cement Bonds, W. Y. Ahn and A. A. Moslemi, 2:77-82 (No. 6121).

Tall Oil Precursors and Turpentine in Black and White Spruce, A. H. Conner, M. A. Diehl, and J. W. Rowe, 2:111-116 (No. 6167).

Weathering of Chemically Modified Southern Pine, R. M. Rowell, W. C. Feist, and W. D. Ellis, 4:202-208 (No. 6217).

Physics

Calorimetric Analysis of Fungal Degraded Wood, P. R. Blankenhorn, R. C. Baldwin, W. Merrill, Jr., and S. P. Ottone, 1:26-31 (No. 6006).

Characteristics of Carbonized Wood Affected by Extraction, J. M. Kryla, 1:18-25 (No. 6048).

Characterization of Melaleuca Biomass as a Fuel for Direct Combustion , S-c. Wang, J. B. Huffman, and R. C. Littell, 4:216-219 (TN-423).

Device for Rapid Determination of Wood Sample Volume by Immersion, M. R. Gorvad and K. B. Strauss, 2:75-76 (TN-422).

Influence of Electrode Design on Measurements of Dielectric Properties of Wood, W. L. James, 4:185-198 (No. 6200).

Lead-Screw Device for In-Motion X-Rays of Tree Cores, G. C. Jacoby and R. S. Perry, 4:199-201 (TN-418).

Nonisothermal Moisture Movement in Wood, J. F. Siau, 1:11-13 (No. 6096).

Numerical Methods for Solving the Equation for Diffusion Through Wood During Drying, X. Bui, E. T. Choong, and W. G. Rudd, 2:117-121 (No. 6137).

Review of Mechanisms Associated With Wood Combustion, D. A. Tillman, 4:177-184 (No. 6214).

Steady-State Diffusion of Moisture Through Plywood, T. P. Schultz and M. W. Kelly, 1:14-17 (No. 6109).

Thermal Analysis of White Oak, Northern Red Oak, and Black Cherry Bark Chemical Components, M. G. Sandala, P. R. Blankenhorn, and D. E. Kline, 3:157-165 (No. 6141).

Variation in Sycamore Wood Specific Gravity in the South, S. B. Land, Jr. and J. C. Lee, 3:166-170 (No. 6175).

Wood and Bark Specific Gravity Determination as Affected by Water-Soluble Extractives Loss, Y-Z. Lai, R. L. Sajdak, G. D. Mroz, M. F. Jurgensen, and D. L. Schwandt, 1:47-49 (No. 6144).

Wood Engineering and Mechanical Properties

Crushing Strength of Three Sudanese Tropical Hardwoods in Relation to Specific Gravity, Extractive and Lignin Contents, M. L. M. El-Osta, O. A. Badran, and E. M. A. Ajoung, 4:225-232 (No. 6180).

Fractured Surfaces as Indicators of Cell Wall Behavior at Elevated Temperatures, C. Woodward, 2:83-86 (No. 6074).

Interlayer Gap Effect on Nailed Joint Stiffness, C. E. Antonides, M. D. Vanderbilt, and J. R. Goodman, 1:41-46 (No. 6043).

Measurement of Shear Modulus in Wood by a Tension Test, G. Ebrahimi and A. Sliker, 3:171-176 (No. 6079).

A Model for Predicting Fracture Toughness of Flakeboard, Y-k. Lei and J. B. Wilson, 3:151-156 (No. 6161).

Ultimate Bending Strength Theory for Timber Beams, S. K. Malhotra and I. M. M. Bazan, 1:50-63 (No. 6085).

PROCESS DIVISION

Milling and Machining

Active Control of Circular Saw Vibration Using Spectral Analysis, C. J. Radcliffe and C. D. Mote, Jr., 3:129-139 (No. 6202).

Analysis of Bandsaw Vibration, A. G. Ulsoy and C. D. Mote, Jr., 1:1-10 (No. 6107).

Interaction of Tool Wear Mechanisms in Woodcutting, B. E. Klamecki, 2:122-126 (No. 6152).

FPRS Author Index

A

Ahn, W. Y., and A. A. Moslemi, SEM Examination of Wood-Portland Cement Bonds, 2:77-82 (No. 6121).

Ajoung, E. M. A., *see* El-Osta, M. L. M.

Antonides, C. E., M. D. Vanderbilt, and J. R. Goodman, Interlayer Gap Effect on Nailed Joint Stiffness, 1:41-46 (No. 6043).

B

Badran, O. A., *see* El-Osta, M.L.M.

Baldwin, R. C., *see* Blankenhorn, P. R.

Bazan, I. M. M., *see* Malhotra, S. K.

Bensend, D. W., *see* Vurdu, H.

Blankenhorn, P. R., R. C. Baldwin, W. Merrill, Jr., and S. P. Ottone, Calorimetric Analysis of Fungal Degraded Wood, 1:26-31 (No. 6006).

Blankenhorn, P. R., *see* Sandala, M.G.

Bui, X., E. T. Choong, and W. G. Rudd, Numerical Methods for Solving the Equation for Diffusion Through Wood During Drying, 2:117-121 (No. 6137).

C

Choong, E. T., *see* Bui, X.

Conner, A. H., M. A. Diehl, and J. W. Rowe, Tall Oil Precursors and Turpentine in Black and White Spruce, 2:111-116 (No. 6167).

Core, H., and W. Moschler, Jr., Some Anatomical Characteristics of Yellow-poplar Branchwood, 2:99-101 (TN-415).

D

Diehl, M. A., *see* Conner, A. H.

E

Ebrahimi, G., and A. Sliker, Measurement of Shear Modulus in Wood by a Tension Test, 3:171-176 (No. 6079).

Ellis, W. D., *see* Rowell, R. M.

El-Osta, M. L. M., O. A. Badran, and E. M. A. Ajoung, Crushing Strength of Three Sudanese Tropical Hardwoods in Relation to Specific Gravity, Extractive and Lignin Contents, 4:225-232 (No. 6180).

F

Feist, W. C., *see* Rowell, R. M.

Fong, P., and R. A. Ross, Pyrolysis of White Birch (*Betula papyrifera* Marsh.) in Nitrogen and Helium up to 900°C and 600 kPa in the Presence of Water Vapor, Zinc(II)Chromite, and Iron(III)Oxide, 2:87-94 (No. 6145).

G

Garrett, H. E., *see* Szopa, P. S.

Geyer, W. A., Growth, Yield, and Woody Biomass Characteristics of Seven Short-Rotation Hardwoods, 4:209-215 (No. 6039).

Gollob, L., *see* Wellons, J. D.

Goodman, J. R., *see* Antonides, C. E.

Gorvad, M. R., and K. B. Strauss, Device for Rapid Determination of Wood Sample Volume by Immersion, 2:75-76 (TN-422).

Guevara-M, R., and W. E. Johns, Geographical and Within-Tree Variation in Heartwood pH of *Pinus oocarpa Schiede* From Honduras, 4:220-224 (No. 6220).

H

Huffman, J. B., *see* Wang, S-c.

J

Jacoby, G. C., and R. S. Perry, Lead-Screw Device for In-Motion X-Rays of Tree Cores, 4:199-201 (TN-418).

James, W. L., Influence of Electrode Design on Measurements of Dielectric Properties of Wood, 4:185-198 (No. 6200).

Johns, W. E., *see* Guevara-M, R.

Jurgensen, M. F., *see* Lai, Y-Z.

K

Kelly, M. W., *see* Schultz, T. P.

Klamecki, B. E., Interaction of Tool Wear Mechanisms in Woodcutting, 2:122-126 (No. 6152).

Kline, D.E., *see* Sandala, M. G.

Kryla, J. M., Characteristics of Carbonized Wood Affected by Extraction, 1:18-25 (No. 6048).

L

Labosky, P., Jr., and J. A. Sellers, HPLC Separation of Virginia Pine Bark Flavonoids, 1:32-35 (TN-401).

Lai, Y-Z., R. L. Sajdak, G. D. Mroz, M. F. Jurgensen, and D. L. Schwandt, Wood and Bark Specific Gravity Determination as Affected by Water-Soluble Extractives Loss, 1:47-49 (No. 6144).

Land, S. B., Jr., and J. C. Lee, Variation in Sycamore Wood Specific Gravity in the South, 3:166-170 (No. 6175).

Lee, J. C., *see* Land, S. B., Jr.

Lei, Y-k., and J. B. Wilson, A Model for Predicting Fracture Toughness of Flakeboard, 3:151-156 (No. 6161).

Littell, R. C., *see* Wang, S-c.

M

Malhotra, S. K., and I. M. M. Bazan, Ultimate Bending Strength Theory for Timber Beams, 1:50-63 (No. 6085).

McGinnes, E. A., Jr., *see* Szopa, P. S.

Merrill, W., Jr., *see* Blankenhorn, P. R.

Moschler, W., Jr., *see* Core, H.

Moslemi, A. A., *see* Ahn, W. Y.

Mote, C. D., Jr., *see* Radcliffe, C. J.

Mote, C. D., Jr., *see* Ulsoy, A. G.

Mroz, G. D., *see* Lai, Y-Z.

Myers, G. E., and M. Nagaoka, Formaldehyde Emission: Methods of Measurement and Effects of Several Particleboard Variables, 3:140-150 (No. 6168).

N

Nagaoka, M., *see* Myers, G. E.

O

Ottone, S. P., *see* Blankenhorn, P. R.

P

Perry, R. S., *see* Jacoby, G. C.

R

Radcliffe, C. J., and C. D. Mote, Jr., Active Control of Circular Saw Vibration Using Spectral Analysis, 3:129-139 (No. 6202).

Ross, R. A., *see* Fong, P.

Rowe, J. W., *see* Conner, A. H.

Rowell, R. M., Distribution of Reacted Chemicals in Southern Pine Modified With Methyl Isocanate, 2:102-110 (No. 6156).

Rowell, R. M., W. C. Feist, and W. D. Ellis, Weathering of Chemically Modified Southern Pine, 4:202-208 (No. 6217).

Rudd, W. G., *see* Bui, X.

S

Sajdak, R. L., *see* Lai, Y-Z.

Sandala, M. G., P. R. Blankenhorn, and D. E. Kline, Thermal Analysis of White Oak, Northern Red Oak, and Black Cherry Bark Chemical Components, 3:157-165 (No. 6141).

Schultz, T. P., and M. W. Kelly, Steady-State Diffusion of Moisture Through Plywood, 1:14-17 No. 6109).

Schwandt, D. L., *see* Lai, Y-Z.

Sellers, J. A., *see* Labosky, P., Jr.

Siau, J. F., Nonisothermal Moisture Movement in Wood, 1:11-13, (No. 6096).

Sliker, A., *see* Ebrahimi, G.

Strauss, K. B., *see* Gorvad, M. R.

Szopa, P. S., H. E. Garrett, and E. A. McGinnes, Jr., Growth-Quality Evaluation of Black Walnut Wood. Part 1—Specific Gravity, Growth Rate, and Percent Extractables for Trees Grown on Three Different Sites in Missouri, 2:95-98 (TN-403).

T

Tillman, D. A., Review of Mechanisms Associated With Wood Combustion, 4:177-184 (No. 6214).

U

Ulsoy, A. G., and C. D. Mote, Jr., Analysis of Bandsaw Vibration, 1:1-10 (No. 6107).

V

Vanderbilt, M. D., *see* Antonides, C. E.

Vurdu, H., and D. W. Bensend, Proportions and Types of Cells in Stems, Branches, and Roots of European Black Alder (*Alnus glutinosa* L. Gaertn.) 1:36-40 (No. 5879).

W

Wang, S-c., J. B. Huffman, and R. C. Littell, Characterization of Melaleuca Biomass as a Fuel for Direct Combustion, 4:216-219 (TN-423).

Wellons, J. D., and L. Gollob, GPC and Light Scattering of Phenolic Resins—Problems in Determining Molecular Weights, 2:68-74 (No. 6084).

Wilson, J. B., *see* Lei, Y-k.

Woodward, C., Fractured Surfaces as Indicators of Cell Wall Behavior at Elevated Temperatures, 2:83-86 (No. 6074).